

How to use the File Retriever Modifier in Lاسernet

Ivana Dordevic - 2023-05-09 - Comments (2) - Lاسernet General Information


Lاسernet

Lاسernet allows you to retrieve documents from external sources. One way of doing this is by using the File Retriever modifier, which will allow you to get documents from:


- Local File
- FTP
- SFTP
- HTTP
- HTTPS

A document extracted using this modifier could then be saved to a JobInfo, combined with a processed document, and attached to an email. A good example of this would be appending a Terms and Conditions statement to a customer invoice. The modifier can be set at most points in your Lاسernet build. To create it, follow these steps within Lاسernet Developer:

1. Click **Modifiers**.
2. Select **File Retriever**, opening a new window.



3. Fill in the General information and then click **Setup**.



4. Click **Add** and the File Retriever entry window is displayed.
5. Add the location of the document(s) you want to import, along with the retrieval protocol file.

File

This can be a local or a networked location. For a network location, the security settings must be correctly populated and Lasernet must have full access to the folder.

The screenshot shows the 'Edit File Retriever Entry' dialog box. The 'Active' checkbox is checked. The 'Protocol' dropdown is set to 'File', which is highlighted with a red box. Below the protocol are radio buttons for FTP, FTPS, SFTP, HTTP, and HTTPS. A 'Setup' tab is active, showing a 'Path' field with the text 'Optional'. At the bottom, there are dropdown menus for 'Filename JobInfo' and 'Output JobInfo', a 'Replace JobInfo' checkbox, a 'Test Connection' button, and 'Ok' and 'Cancel' buttons.

You will need to provide:

- **Path** - the full path to the folder, excluding the file itself.
- **Filename JobInfo** - the JobInfo that needs to be set before running this modifier - should contain the file name and extension, but not the path.
- **Output JobInfo** - the JobInfo that stores the document retrieved by this modifier.
- **Replace JobInfo** - if you select this box then it will replace the given Output JobInfo with the new data, even if it currently exists. If the box is left clear, any data already in the JobInfo will not be replaced.

You can use the system jobInfo #ConfigurationPath# for the path, which will allow you to manage the files you wish to retrieve via the resources folder on Developer V10

FTP

The screenshot shows the 'Edit File Retriever Entry' dialog box. The 'Active' checkbox is checked. Under 'Protocol', 'FTP' is selected and highlighted with a red box. The 'Connection' tab is active, showing fields for 'Host', 'Port', and 'Timeout' (set to 30 seconds). Under 'Transfer mode', 'Passive' is selected. At the bottom, there are fields for 'Filename JobInfo' and 'Output JobInfo', a 'Replace JobInfo' checkbox, and 'Test Connection', 'Ok', and 'Cancel' buttons.

The FTP protocol connects to a given FTP server to retrieve a file. You will need to enter a valid username and password for the server and ensure that the user has access to the desired files. To set this up you will need to provide:

- **Host** - the host address of the FTP server.
- **Port** - specify the connection port or leave it as 0 to keep the default.
- **Username and Password** - used to log into the FTP server.
- **Path** - the location of the file on the FTP server.
- **FTP Mode** - allows you to change the mode of the FTP.
- **Checksums** - used to make sure the data passed back is complete.
- **Filename JobInfo** - the JobInfo that needs to be set before running this modifier - should contain the filename and extension, but not the path.
- **Output JobInfo** - the JobInfo that stores the document retrieved by this modifier.
- **Replace JobInfo** - if you select this box then it will replace the given Output JobInfo with the new data, even if it currently exists. If the box is left clear, any data already in the JobInfo will not be replaced.

There are two variations of the FTP protocol, FTPS, and SFTP. The setup process is almost the same, however, FTPS connections also require the Secure Socket Layer (SSL) type. Additionally, SFTP will not allow you to choose FTP Mode and Checksum type.

HTTP

The HTTP protocol uses a web address to retrieve a document.

The screenshot shows the 'Edit File Retriever Entry' dialog box. The 'Active' checkbox is checked. Under 'Protocol', the 'HTTP' radio button is selected and highlighted with a red box. The 'Connection' tab is active, showing fields for 'Host', 'Timeout' (set to 30 seconds), and 'Remote path' (set to 'Optional'). There is also a 'Maintain session' checkbox with a note: 'Cookies are saved to Job and re-used in succeeding objects.' At the bottom, there are dropdown menus for 'Filename JobInfo' and 'Output JobInfo', a 'Replace JobInfo' checkbox, and 'Test Connection', 'Ok', and 'Cancel' buttons.

To illustrate the setup process and requirements, the following address, "http://www.example.com/test/file.txt", will be used:

- **Host** - the host address you wish to access.
- **Port** - specify the connection port or leave it as 0 to keep the default.
- **Username and Password** - if required for Lasernet to access the web address
- **Domain** - the domain extension. Using the above example the domain would be: *.com*.
- **Authentication** - authentication type used by the HTTP server.
- **Path** - the complete path to the file. Using the example it would be: */test/*.
- **Filename JobInfo** - the JobInfo that needs to be set before running this modifier - should contain the filename and extension, but not the path. In the example, it would be *file.txt*.
- **Output JobInfo** - the JobInfo that stores the document retrieved by this modifier.
- **Replace JobInfo** - if you select this box then it will replace the given Output JobInfo with the new data, even if it currently exists. If the box is left clear, any data already

in the JobInfo will not be replaced.

- **Response** - this is where the data will be extracted from.

The HTTPS protocol is also available and follows an identical setup process. Client certificates can be specified if required.

Comments (2)

Comments (2)



Martin Purdy

2 years ago

It would be nice to be able to retrieve files from folders in the runtime directory without specifying the full path to the runtime directory.



Martin Purdy

2 years ago

Perhaps mentioning that you can use the JobInfo called ConfigurationPath in the Directory field.