

Rearrange Properties (Whitespace on Edges)

Alex Pearce - 2024-03-18 - Comments (0) - Lasetnet Form Editor 9 - Designing Forms

Lasetnet


Whitespace is handled for the left and right edges of the output rearrange. The **Before** and **After** columns refer to the left and right rearrange edges. This option retains whitespace introduced by automatic new-lines and can be useful when applied in conjunction with background and border. When merging input rearranges to the same output line, you can use the trim setting to remove any extra spaces. You have three options for controlling whitespaces:

- **Trim** (default) removes all edge whitespaces, shrinking the output rearrange box as much as possible.
- **Pad** inserts one or more characters, usually periods or hyphens, starting from the rearrange contents to the edge.
- **Keep** makes sure that no whitespace is removed, making the output reflect the input in detail.


Exercise

Download and import the attached configuration called **07. Rearrange Properties (Whitespace on Edges)** in **Lasetnet Developer 9**. Afterwards, go to the **Forms** section, and then open the **Sample** form.

1. Add a new Rearrange similar to the one illustrated on the picture below:




2. Set the **X** position to **30** and **Y** to **40**.
3. Set **Text horizontal alignment** to **Left** (default).
4. For **Whitespace on edges**, set **After** to **Pad** and specify a padding character as **Period** (default).



The **Pad** setting allows inserting one or more characters, usually periods or hyphens, starting from the rearrange contents to the edge.

5. Copy the Rearrange and paste its two instances to have the similar case illustrated on the picture below:



6. For the second Rearrange, located in the middle of the page, edit the properties by setting **Text horizontal alignment** to **Center**.

7. For **Whitespace on edges**, set **Before** to **Pad** and specify the **Pad** character as **Period** (default).


Text horizontal alignment		Text vertical alignment	
<input type="radio"/> Left	6	<input checked="" type="radio"/> Top	
<input checked="" type="radio"/> Center		<input type="radio"/> Middle	
<input type="radio"/> Right		<input type="radio"/> Bottom	
<input type="radio"/> Justified			
Whitespace on edges			
	Before		After
Trim	<input type="radio"/>	7	<input type="radio"/>
Pad	<input checked="" type="radio"/> .		<input checked="" type="radio"/> .
Keep	<input type="radio"/>		<input type="radio"/>

8. For the third Rearrange taking a low position on the page, edit the **Whitespace on edges** setting by specifying the **Pad** character for **After** as **Underscore**.

Whitespace on edges

	Before	After
Trim	<input checked="" type="radio"/>	<input type="radio"/>
Pad	<input type="radio"/>	<input checked="" type="radio"/>
Keep	<input type="radio"/>	<input type="radio"/>

Each Rearrange now includes periods and underscores starting from the Rearrange contents to the edge(s).



By selecting the **Keep** radio button, you can make sure that no whitespace is removed and ensure that the output reflects the input in details. This is often used when working with TEXT as an input format.

Whitespace on edges

	Before	After
Trim	<input type="radio"/>	<input type="radio"/>
Pad	<input type="radio"/>	<input type="radio"/>
Keep	<input checked="" type="radio"/>	<input checked="" type="radio"/>

Attachments

- [07.-Rearrange-Properties-Whitespaces.Inconfigx \(71.91 KB\)](#)