

News > Lasernet FO Connector > Lasernet FO Connector New Features > Lasernet FO Connector 6.19 New Features (part V)

Lasernet FO Connector 6.19 New Features (part V)

2023-10-17 - Alice Petruzzella - Comments (0) - Lasernet FO Connector New Features

Release version: 6.19

Release date: 17th October 2023

Introduction

This page describes the enhancements in <u>Lasernet FO Connector 6.19</u>.

Click to view the Release Notes page.

Click to view the <u>Lasernet FO Connector 6.19 New Features (part I)</u> page.

Click to view the <u>Lasernet FO Connector 6.19 New Features (part II)</u> page.

Click to view the <u>Lasernet FO Connector 6.19 New Features (part III)</u> page.

Click to view the <u>Lasernet FO Connector 6.19 New Features (part IV)</u> page.

Click to view the <u>Lasernet FO Connector 6.19 New Features (part VI)</u> page.

Click to view the Lasernet FO Connector 6.19 New Features (part VII) page.

3357007@LAC365FO - Report attachments: First/Last are not always returned if there is more than one attachment with the same timestamp

Using **From Archive** in an attachment, with either **Last** or **First** to find the attachments, has been improved in Lasernet FO Connector 6.19.

In previous versions of Lasernet FO Connector, it was not possible to distinguish documents within the Archive if they had the same timestamp.

Lasernet FO Connector 6.19 uses **RecId** as well as **CreatedDateTime** to find either the Last or First attachment (document from Archive).

This approach ensures the proper document is found within the Archive even when the documents have the same timestamp.

In previous versions of Lasernet FO Connector, using either **Last** or **First** in combination with the **From archive** caused an issue if the documents found within the Archive had the

same timestamp.	
×	
x	
331259@LAC365FO – New Expression editor error: 'Unknown value in # objection of the state of	ct'
Using information/fields from the Parameter for a replacement report used	to throw the
following warning in an expression.	
x	
Warning	
Unknown value in Parameter. object: at position "<-!->Parameter."	
This is fixed.	
336369@LAC365FO – Option to use Custom properties in T&P/Top picking (B print)	ackground
Customer properties are supported for Background print of a report/report-de	esign.
This is useful when multiple designs are required for a report or in case of a sometime (or debug) version of a report is required.	special internal
An internal/debug version of a report could have additional information that i	is only required
for internal use or useful to identify issues in a report.	
×	
×	
×	
×	
Previous version of Lasernet FO Connector Lasernet FO Connector 6	.19
x	
×	
331129@LAC365FO-T&P-LAC Archive - Destination description missing The description from the predefined destination (Destinations) was not show Lasernet Archive.	n in the
This is now fixed, when a destination is found (and included in the XML file).	
Previous version of Lasernet FO Connector Lasernet FO Connector 6.19	
×	

331106@LAC365FO - T&P - Top picking 'Unprocessed only' can update same document twice

Using "Unprocessed only" through the Top picking within a batch task caused same documents to be "re-processed" multiple times when running the batch with a high

× Lasernet FO Connector 6.19 does not re-process the same document multiple times when using the batch-scheduler for repeating the same batch-job. Unprocessed only and batch-scheduler in previous versions: × Lasernet FO Connector 6.19: × Please, ensure **Recurrence** is used to schedule the batch job. × 330896@LAC365FO - Warning while importing report (minor issue) The following warning could appear when importing report(s), but would not cause any issues when running the Report. This warning has been removed. Warning Could not find a matching LACArchiveForms record for LACReportParameter. Have LACArchiveForms been selected for import? 330175@LAC365FO - Feature request: Role for T&P batch print scheduling The following permissions are granted/added to the **Lasernet advanced user** role. Manage checkpoints: Previous version of Lasernet FO Connector Lasernet FO Connector 6.19 × × Parameters for **Background print**: Previous version of Lasernet FO Connector Lasernet FO Connector 6.19 × × 329833@LAC365FO - Option to select an "alternative" destination when reviewing a document An option to select an alternative destination when reviewing a document has been added. In previous versions of Lasernet FO Connector, it was only possible to deliver to the same destination as the one selected before reviewing the document.

In Lasernet FO Connector 6.19 it is possible to select/alter any destination (apart from the

predefined one) by using **Change** when reviewing the document.

×

frequency (or long running documents).

Review is useful in case the document needs "clear verification" before printing or sending as an Email.

This option is also useful in case additional attachments like a "Bill of lading" should be attached before delivery.

329543@LAC365FO - T&P: Checkpoint form set in descending order by date/time so that newest is on top

The sort order in the form containing the Checkpoints is adjusted and is now showing the newest entries (records) on top.

×

329358@LAC365FO – Print Buttons - Not Showing up on Quotation Journal (Similar: ProjInvoiceJournal)

Adding print destinations/print buttons defined in **Print buttons** > **Common** > **Direct printout destinations** was not shown in form like **Quotation Journal** and **ProjInvoice Proposal**.

The form design/patterns for these forms was not the same as the other Journal forms in standard Dynamics D365FO, and it was the reason why it was not possible to add the buttons on the fly (runtime).

Form: Quotation Journal

 $({\bf Sales~and~marketing} > {\bf Sales~quotations} > {\bf All~quotations} > {\bf Quotation~journal})$

×

Previous version of Lasernet FO Connector Lasernet FO Connector 6.19

×

Form: ProjInvoice Proposal

(Project management and accounting > Project invoices > Project invoice proposals)

Previous version of Lasernet FO Connector Lasernet FO Connector 6.19

×

329143@LAC365FO - ProjTable and ProjSorting Table Relationship in Query Wizard Using an "Array field" as part of a relation did not properly save the relation after closing the Query Wizard.

Example: sortingId[2]

Previous version of Lasernet FO Connector Lasernet FO Connector 6.19

×

ProjTable - Definition of ProjTable in SQL



348562@LAC365FO - Adding 'Related Tables' under sub-queries in the Query Wizard In the previous version, it was not possible to add a related table to a parent subquery. This has been fixed.

Location: Lasernet > Common > Reports > Query wizard



Choosing a "CustTable" as the parent table:



Adding a subquery to the parent table (CustTable):



Trying to add a related table to the parent subquery:



Previous version of Lasernet FO Connector Lasernet FO Connector 6.19







Copying the Connection to clipboard:



328706@LAC365FO - OData based subreport behaves incorrectly when added to a Query based report

In previous versions, having a subreport using OData fetch data from, for instance, Dynamics 365 Customer Engagement (DataVerse) did not properly add the ranges for the subreport.

This is fixed.



Previous version of Lasernet FO Connector Lasernet FO Connector 6.19





325678@LAC365FO - CSS timer for long processes

The option to enable a timer for the "progress bar" has been added.

This is useful when benchmarking and adding a report, as standard Dynamics does not always measure/show the proper progress and the progress is often only updated every five seconds.

The new timer is activated at: Lasernet > Setup > Parameters > Performance

The timer will measure and show the progress by the second.



325259@LAC365FO - T&P: Alert on Background print function end

The option to use Alerts is introduced for the Background print: it provides the option to get a notification once documents have been delivered to the Lasernet server.

The option to use **Background print** is located at **Lasernet** > **Common** > **Reports** > **Form links**.

In order to have the **Backround print** in a Journal, it is necessary to configure it for the Journal and for the Report as it is possible to have different reports in the same Journal.



Once configured, Background print will be shown as follows in the standard Journal for the Report.



Use **Alerts** to configure how to receive the notification once the document has been processed (delivered) to Lasernet.



A notification is provided through either the "pop-ups" or an Email.



324366@LAC365FO - Missing data in XML if Sort by is added to Group by query Adding a sorting on top of a Group by query used to cause a missing output in case the query contained more tables/data sources, or no field was added from the parent data source.

This is similar to having a Group by query consisting of the data sources/tables **SalesTable** and **SalesLine** for which no fields are added for the data source/table SalesTable.





A sorting is added above the field **LineAmount.**



Previous version of Lasernet FO Connector Lasernet FO Connector 6.19



Related Content

- Lasernet FO Connector 6.19
- Lasernet FO Connector 6.19 is now available
- Lasernet FO Connector 6.19 Release Notes
- Lasernet FO Connector 6.19 New Features (part II)
- Lasernet FO Connector 6.19 New Features (part I)
- Lasernet FO Connector 6.19 New Features (part III)
- Lasernet FO Connector 6.19 New Features (part IV)
- Lasernet FO Connector 6.19 New Features (part VI)
- Lasernet FO Connector 6.19 New Features (part VII)